

Spec Series Emergency LED Strip

Spec Series Emergency LED strip is a unique strip designed for use with our Richie Rail 17, Richie Rail 20 and Richie Rail 26 illuminated handrail series. A 1080 lumen per metre circuit provides the primary light source while a 180 lumen per metre circuit provides emergency lighting in a power cut.

Spec Series Emergency LED Strip is designed for our Richie Rail 17, Richie Rail 20 and Richie Rail 26 illuminated handrail series, providing emergency lighting directly on to stairs, ramps and egress routes.



CODE	WATTS P/M	COLOUR	LUMENS P/M	CUT LENGTH	MAX. RUN PER FEED	PROTECTION
SPEC-15-40-2.5-40-EME	15W primary, 2.5W emergency	4000K	1080 primary, 180 emergency	100mm	5M	IP20, IP67


For IP67 versions, add "-IP67" to end of codes above. Example code: SPEC-15-40-2.5-40-EME-IP67.

IP67 versions reduce above stated lumen figures by approximately 5%.

Wattage and lumen tolerance +/- 10% . Colour temperature tolerance +/- 5%.

Other colour temperatures available on special order.

SPEC-15-40-2.5-40-EME



① = Primary circuit LED ② = Emergency circuit LED



IP20 dimensions:
W10 x H1mm



IP67 dimensions:
W12 x H5mm
End Caps: W14 x H7mm

*Warranty applies only when mounted in an appropriate Offspring Profiles's profile.

ADDITIONAL INFORMATION

Input voltage: 24V DC
Spec Series Emergency LED strip is supplied in 10m rolls.

Source life: L70 = 50,000 hours
Backing: 3M tape.

Control: Dimmable by PWM
Beam angle: 120°